

# GMT EXTRA

The classic range

[ssi-schaefer.com](http://ssi-schaefer.com)



**SSI SCHÄFER**

# GMT eXtra

120 - 240 litres

## Standard version

- Made of High Density Polyethylene (HDPE)
- Excellent equipment for the latest emptying devices
- Trouble-free use
- Long service life
- Integrated chipnest for transponder
- Reinforced wheel housing and wheel support
- Various versions available: from standard bin to the thoroughly ventilated version
- UV-stabilised
- Ergonomically positioned handles
- Lid with surrounding drip edge for condensation
- Manufactured according to DIN EN 840 -1, -5 and -6
- RAL Quality Mark approved acc. to RAL-GZ 951 / 1 for highest quality
- Axle made of quenched and tempered steel
- External wheels (not integrated) for high stability
- Noise reduced <92dbA according to the EU Directive 2000 / 14 / EG
- Lid opening cushioning by means of the 4 point hinges
- Additional supporting rib



## Extras


- Lid with 2 point hinges
- GMT eXtra 120 S and 240 S with reinforcing ribs on the base
- Gravity locks
- Aperture for document insertion
- Ergolid System: Ergonomic handles for easy opening of the lid from every position. The larger lid surface is particularly suitable for large detailed embossing
- Bin with one piece tubular handle
- Waste stream identification using the "ergolid-clip" allows easy and cost effective waste stream changes

## Exclusively for GMT eXtra 180 litres

- Integrated foothold
- 250 mm wheels for improved handling
- Greater strength due to additional profiling on the side walls

GMT eXtra	120 l	140 l	180 l	240 l
Width mm (W)	505 max.	505 max.	505 max.	580 +5/-5
Height mm (H)	1,005 max.	1,100 max.	1,100 max.	1,100 max.
Depth mm (D)	555 max.	555 max.	755 max.	740 max.
Nominal volume l	120 +8/-6	140 +6/-12	180 +40/-10	240 +15/-5
Payload kg	48	56	72	96
Wheel - Ø mm	200	200	200/250	200/250

All dimensions are nominal in accordance with DIN EN 840, colours are subject to deviation.



## Standard bin colours

Black grey RAL 7021	Red to RAL-Design 040 40 67	Rape yellow RAL 1021	Pale brown RAL 8025	Green to RAL-Design 150 40 20 (140 40 20)	Blue to RAL-Design 270 40 40
------------------------	--------------------------------	-------------------------	------------------------	--	---------------------------------



Lid with 2 point hinges



Lid type Ergolid with clip



GMT eXtra 120 S und 240 S with reinforced base



Reinforced lifting comb

Robust wall construction GMT eXtra 120, 140, 240 l

Robust wall construction GMT eXtra 180 l

# SIX REASONS FOR CHOOSING SSI SCHAEFER

- **Stability**

As a financially independent family business, SSI SCHAEFER is committed to long-term solutions. You can trust that our team of experts will be there for you today, tomorrow and in years to come.

- **Efficiency**

SSI SCHAEFER solutions are expandable and grow with your business. The modular structure of the solutions allows you to upgrade or modernize your processes step by step at any time.

- **Quality**

As a recycling industry expert with in-house development and production, SSI SCHAEFER provides an array of high-quality solutions from a single source. Targeted quality management according to established standards guarantees high reliability and durability of our products - this is also certified by independent authorities.

- **Reliability**

Thanks to our own Customer Service & Support, SSI SCHAEFER ensures smooth operation of your systems and processes, both during and after implementation.

- **Know-how**

For decades, SSI SCHAEFER has been trendsetting in the development of novel disposal systems and sets new standards in waste management with innovations and high quality.

- **Digitalization**

SSI SCHAEFER solutions are always up-to-date with the latest technology. Our digital experts design comprehensive, needs-oriented system solutions and modular concepts that integrate seamlessly into your existing structures and generate direct added value.

[ssi-schaefer.com](https://www.ssi-schaefer.com)

2021/04 EN © SSI SCHÄFER

Printed in Germany.

We assume no responsibility for printing errors.



**SSI SCHÄFER**